

MINO CIRCLE acoustic

ceiling / suspended


EN Acoustic element made of high quality, self-supporting, at least 50% recycled PET felt with sound absorbing properties; round design; high quality visual and tactile surface; absorption of direct sound and sound reflected from the ceiling; this creates high acoustic performance; choice of surface mounted and pendant versions with cable suspension; toolless suspension height adjustment of the acoustic element

DE Akustikelement aus hochwertigem, selbsttragenden, mind. 50% recycelten PET-Filz mit schallabsorbierenden Eigenschaften; Bauform rund; optisch und haptisch hochwertige Oberfläche; Absorption des Direktschalls und des von der Decke reflektierten Schalls; dadurch hohe akustische Performance; wahlweise angebaute oder abgehängte Variante mit Seilabhängung; werkzeuglose Höhenverstellung am Akustikelement

Quickinfo

PET-Filz bestehend aus mindestens 50% post-consumer recyceltem Material bis zu Absorberklasse A schwer entflammbare Version verfügbar


Types



Farbe





made of at least 50% post-consumer recycled PET felt



MINO CIRCLE acoustic

A	B	C	D	E
$\alpha_w = 0.65$				
		0.7	0.74	
PET felt		NRC	SAA	



CEILING

COLOUR

anthracite	
black	
felt grey	
limestone	
marble grey	
white	

ORDER CODE

0 3 4 - 2 7 1 D 1 1 B
0 3 4 - 2 7 1 D 1 1 L
0 3 4 - 2 7 1 D 1 1 G
0 3 4 - 2 7 1 D 1 1 S
0 3 4 - 2 7 1 D 1 1 D
0 3 4 - 2 7 1 D 1 1 W

EQUIVALENT SOUND ABSORPTION AREA ($A_{EQ} M^2$)

Ø (mm)	125Hz	250Hz	500Hz	1000Hz	2000Hz	4000Hz
937	0.1	0.27	0.7	1.17	1.07	1
1434	0.3	0.6	1.43	2.3	2.17	2.1

SUSPENDED

COLOUR

anthracite	
black	
felt grey	
limestone	
marble grey	
white	


ORDER CODE

0 3 4 - 2 7 2 D 1 1 B
0 3 4 - 2 7 2 D 1 1 L
0 3 4 - 2 7 2 D 1 1 G
0 3 4 - 2 7 2 D 1 1 S
0 3 4 - 2 7 2 D 1 1 D
0 3 4 - 2 7 2 D 1 1 W

EQUIVALENT SOUND ABSORPTION AREA ($A_{EQ} M^2$)


Ø (mm)	125Hz	250Hz	500Hz	1000Hz	2000Hz	4000Hz
937	0.5	0.5	0.87	1.3	1.43	1.57
1434	0.97	1.2	1.83	2.67	3.07	3.3

SOUND ABSORPTION COEFFICIENTS



Order options

DIAMETER	D
937 mm	1
1434 mm	2



— MINO circle acoustic suspended

Acoustic data
calculations based on
MINO CIRCLE ACOUSTIC 1000:
cavity 100cm

Order options

DIAMETER	D
937 mm	1
1434 mm	2

Office e-sy AG

Schweiz

Lighting Design
Studio Z20 AG


Fotograf
Philip Böni



Verwendete Produkte



MINO 60 CURVE
ceiling / suspended
system



MINO CIRCLE
acoustic ceiling /
suspended

