



Quickinfo

PET-Filz
bis zu Absorberklasse A
schwer entflammbare Version
verfügbar

Types



Farben



HEX-O MODULE

ceiling single + group

EN Hexagonal acoustic element made of high quality, self-supporting, at least 75% recycled PET felt with sound absorbing properties; in the dimensions of the HEX-O luminaires; suitable for single or group installation; quick mounting system without tools; foreign fiber inclusions possible; can be combined with all HEX-O ceiling and TRIG-O ceiling luminaires and acoustic elements; improvement of room acoustics through absorption and scattering of sound waves; up to absorption class A

DE Sechseckiges Akustikelement aus hochwertigem, selbsttragenden, mind. 75% recycelten PET-Filz mit schallabsorbierenden Eigenschaften; in Abmessungen der HEX-O Leuchten; geeignet für Einzel- und Gruppenmontage; werkzeugloses Schnellmontagesystem; Fremdfasereinschlüsse möglich; mit sämtlichen HEX-O ceiling und TRIG-O ceiling Leuchten und Akustikelementen kombinierbar; Verbesserung der Raumakustik durch Absorption und Schallstreuung; bis zu Absorberklasse A



modular system




easy mounting with one click



wide range of colours





HEX-O module ceiling

A B C D E
α_w = 0.9

PET felt

0.85 NRC

0.88 SAA


ACOUSTIC | SINGLE + GROUP

COLOUR	ORDER CODE
acoustic special colours	073-6911L10X
anthracite	073-6911L10B
black	073-6911L10L
felt grey	073-6911L10G
limestone	073-6911L10S
marble grey	073-6911L10D
white	073-6911L10W

EQUIVALENT SOUND ABSORPTION AREA (A_{EQ} M^2)


W·L(mm)	125Hz	250Hz	500Hz	1000Hz	2000Hz	4000Hz
433·500	0.09	0.18	0.3	0.32	0.28	0.32
650·750	0.17	0.33	0.57	0.6	0.53	0.6
866·1000	0.27	0.54	0.91	0.97	0.86	0.97

SOUND ABSORPTION COEFFICIENTS



Acoustic data
calculations based on HEX-O MODULE 750: cavity 1cm

Acoustic accessories



HEX-O ABSORBER 1000


COLOUR	L·W·H (mm)	ORDER CODE
marble grey	1000·866·237	073-691740D
felt grey	1000·866·237	073-691740G
black	1000·866·237	073-691740L
white	1000·866·237	073-691740W
acoustic special colours	1000·866·237	073-691740X
limestone	1000·866·237	073-691740S
anthracite	1000·866·237	073-691740B

only in combination with HEX-O 750, MODULE 750 or MODULE FLAT 750; for acoustic data see xal.com

Order options

LENGTH	L
500 mm	5
750 mm	6
1000 mm	7

COLOUR	
anthracite	RAL 7021
marble grey	RAL 7047
felt grey	RAL 7037
limestone	RAL 070 70 20



HEX-O ABSORBER 750

COLOUR	L·W·H (mm)	ORDER CODE
marble grey	750·650·237	073-691640D
felt grey	750·650·237	073-691640G
black	750·650·237	073-691640L
white	750·650·237	073-691640W
acoustic special colours	750·650·237	073-691640X
limestone	750·650·237	073-691640S
anthracite	750·650·237	073-691640B

only in combination with HEX-O 500 or MODULE 500; for acoustic data see xal.com

Order options

COLOUR	
anthracite	RAL 7021
marble grey	RAL 7047
felt grey	RAL 7037
limestone	RAL 070 70 20

Kanzlei Kronberg


Deutschland

Architekt
pauly + fichter

Fotograf
Eun-A Pauly



Verwendete Produkte



HEX-O MODULE
ceiling single + group

No liability is assumed for typographical or printing errors.
© XAL GmbH · Auer-Welsbach-Gasse 36 · 8055 Graz · Austria · www.xal.com


PAULY



