


Quickinfo

2700 K, 3000 K, 3500 K, 4000 K
CRI \geq 90 / 3 SDCM
UGR \leq 10, UGR \leq 13, UGR \leq 19
up to 132 lm/W
L85 / 50000 h, L90 / 50000 h
DALI-2, non DIM
IP20

Types



Colour



Reflector



Light distributions



UNICO L2 / L3 basic


ceiling

^{EN} Rectangular surface mounted multi-downlight made of aluminium; equipped with two (L2) / three (L3) individually selectable or pre-specified, customised light elements; luminaire housing can be attached to mounting plate without tools by interlock; converter integrated into luminaire housing; surface powder coated; high-quality reflector with micro-faceted, aluminium-vaporised surface; precise radiation characteristic with different symmetrical light distributions; or with asymmetric light distribution; energy-efficient high power LEDs with very good colour rendering; clank-free

^{DE} Rechteckiger Anbau-Multi-Downlight aus Aluminium; bestückt mit zwei (L2) / drei (L3) individuell wählbaren oder fix definierten, anwendungsspezifischen Optiken; Leuchtenkörper mittels Verriegelung werkzeuglos auf Montageplatte aufsetzbar; Konverter im Leuchtenkörper integriert; Oberfläche pulverbeschichtet; hochwertiger Reflektor mit mikrofacettierter, aluminiumbedampfter Oberfläche; präzise Abstrahlcharakteristik mit unterschiedlichen symmetrischen Lichtverteilungen; oder mit asymmetrischer Lichtverteilung; energieeffiziente High-Power-LEDs mit sehr guter Farbwiedergabe; klirrfrei





one luminaire
multiple scenes




black & gold
reflector
(optional)



tunable white
2700 – 5000 K
(optional)



UNICO L2 basic high efficient ceiling



FLOOD ROUND CRI ≥ 90

SYSTEM	COLOUR TEMP.	LUM. FLUX	SYSTEM	ORDER CODE
9.9 W	2700 K	1090 lm	110 lm/W	0 9 0 - 1 L 2 9 C 1 1
	3000 K	1140 lm	115 lm/W	0 9 0 - 1 L 2 0 C 1 1
	3500 K	1140 lm	115 lm/W	0 9 0 - 1 L 2 2 C 1 1
	4000 K	1180 lm	119 lm/W	0 9 0 - 1 L 2 1 C 1 1

WIDE FLOOD ROUND CRI ≥ 90



SYSTEM	COLOUR TEMP.	LUM. FLUX	SYSTEM	ORDER CODE
9.9 W	2700 K	1120 lm	113 lm/W	0 9 0 - 1 L 2 9 D 1 1
	3000 K	1170 lm	118 lm/W	0 9 0 - 1 L 2 0 D 1 1
	3500 K	1170 lm	118 lm/W	0 9 0 - 1 L 2 2 D 1 1
	4000 K	1220 lm	123 lm/W	0 9 0 - 1 L 2 1 D 1 1

FLOOD SQUARE CRI ≥ 90


SYSTEM	COLOUR TEMP.	LUM. FLUX	SYSTEM	ORDER CODE
9.9 W	2700 K	1150 lm	116 lm/W	0 9 0 - 1 L 2 9 F 1 1
	3000 K	1190 lm	120 lm/W	0 9 0 - 1 L 2 0 F 1 1
	3500 K	1190 lm	120 lm/W	0 9 0 - 1 L 2 2 F 1 1
	4000 K	1240 lm	125 lm/W	0 9 0 - 1 L 2 1 F 1 1

WIDE FLOOD SQUARE CRI ≥ 90

SYSTEM	COLOUR TEMP.	LUM. FLUX	SYSTEM	ORDER CODE
9.9 W	2700 K	1180 lm	119 lm/W	0 9 0 - 1 L 2 9 G 1 1
	3000 K	1230 lm	124 lm/W	0 9 0 - 1 L 2 0 G 1 1
	3500 K	1230 lm	124 lm/W	0 9 0 - 1 L 2 2 G 1 1
	4000 K	1280 lm	129 lm/W	0 9 0 - 1 L 2 1 G 1 1



UNICO L2 basic ceiling



SPOT ROUND Reflector chrome, CRI ≥ 90

SYSTEM	COLOUR TEMP.	LUM. FLUX	SYSTEM	ORDER CODE
12.6 W	2700 K	662 lm	53 lm/W	0 9 0 - 1 L 2 4 K 0 0 1
	3000 K	706 lm	56 lm/W	0 9 0 - 1 L 2 5 K 0 0 1
	4000 K	757 lm	60 lm/W	0 9 0 - 1 L 2 6 K 0 0 1

NARROW MEDIUM ROUND Reflector chrome, CRI ≥ 90

SYSTEM	COLOUR TEMP.	LUM. FLUX	SYSTEM	ORDER CODE
12.6 W	2700 K	673 lm	53 lm/W	0 9 0 - 1 L 2 4 N 0 0 1
	3000 K	717 lm	57 lm/W	0 9 0 - 1 L 2 5 N 0 0 1
	4000 K	769 lm	61 lm/W	0 9 0 - 1 L 2 6 N 0 0 1










MEDIUM ROUND CRI ≥ 90

SYSTEM	COLOUR TEMP.	LUM. FLUX	SYSTEM	ORDER CODE
12.6 W	2700 K	899 lm	71 lm/W	0 9 0 - 1 L 2 4 B 0 1
	3000 K	958 lm	76 lm/W	0 9 0 - 1 L 2 5 B 0 1
	4000 K	1030 lm	82 lm/W	0 9 0 - 1 L 2 6 B 0 1










Order options

CONTROL		COLOUR		REFLECTOR	
non DIM	1	gold dust RAL 260-M	9	chrome	0
DALI-2	3	jet black RAL 9005	B	black	B
		white aluminium RAL 9006			
		traffic white RAL 9016	W		










FLOOD ROUND CRI ≥ 90

SYSTEM	COLOUR TEMP.	LUM. FLUX	SYSTEM	ORDER CODE
12.6 W	2700 K	1030 lm	82 lm/W	0 9 0 - 1 L 2 4  C   0 1
	3000 K	1100 lm	87 lm/W	0 9 0 - 1 L 2 5  C   0 1
	4000 K	1180 lm	94 lm/W	0 9 0 - 1 L 2 6  C   0 1










WIDE FLOOD ROUND CRI ≥ 90

SYSTEM	COLOUR TEMP.	LUM. FLUX	SYSTEM	ORDER CODE
12.6 W	2700 K	1020 lm	81 lm/W	0 9 0 - 1 L 2 4  D   0 1
	3000 K	1090 lm	87 lm/W	0 9 0 - 1 L 2 5  D   0 1
	4000 K	1170 lm	93 lm/W	0 9 0 - 1 L 2 6  D   0 1










MEDIUM SQUARE CRI ≥ 90

SYSTEM	COLOUR TEMP.	LUM. FLUX	SYSTEM	ORDER CODE
12.6 W	2700 K	884 lm	70 lm/W	0 9 0 - 1 L 2 4  E   0 1
	3000 K	942 lm	75 lm/W	0 9 0 - 1 L 2 5  E   0 1
	4000 K	1010 lm	80 lm/W	0 9 0 - 1 L 2 6  E   0 1










FLOOD SQUARE CRI ≥ 90

SYSTEM	COLOUR TEMP.	LUM. FLUX	SYSTEM	ORDER CODE
12.6 W	2700 K	1050 lm	83 lm/W	0 9 0 - 1 L 2 4  F   0 1
	3000 K	1120 lm	89 lm/W	0 9 0 - 1 L 2 5  F   0 1
	4000 K	1200 lm	95 lm/W	0 9 0 - 1 L 2 6  F   0 1







RECTANGULAR MEDIUM CRI ≥ 90

SYSTEM	COLOUR TEMP.	LUM. FLUX	SYSTEM	ORDER CODE
12.6 W	2700 K	912 lm	72 lm/W	0 9 0 - 1 L 2 4  R   0 1
	3000 K	972 lm	77 lm/W	0 9 0 - 1 L 2 5  R   0 1
	4000 K	1040 lm	83 lm/W	0 9 0 - 1 L 2 6  R   0 1










WIDE FLOOD SQUARE CRI ≥ 90

SYSTEM	COLOUR TEMP.	LUM. FLUX	SYSTEM	ORDER CODE
12.6 W	2700 K	1080 lm	86 lm/W	0 9 0 - 1 L 2 4  G   0 1
	3000 K	1150 lm	91 lm/W	0 9 0 - 1 L 2 5  G   0 1
	4000 K	1240 lm	98 lm/W	0 9 0 - 1 L 2 6  G   0 1










WALLWASHER Reflector chrome, CRI ≥ 90

SYSTEM	COLOUR TEMP.	LUM. FLUX	SYSTEM	ORDER CODE
12.6 W	2700 K	914 lm	73 lm/W	0 9 0 - 1 L 2 4  A  0 0 1
	3000 K	974 lm	77 lm/W	0 9 0 - 1 L 2 5  A  0 0 1
	4000 K	1050 lm	83 lm/W	0 9 0 - 1 L 2 6  A  0 0 1




WALL FLOOR CORRIDOR CRI ≥ 90



SYSTEM	COLOUR TEMP.	LUM. FLUX	SYSTEM	ORDER CODE
12.6 W	2700 K	953 lm	76 lm/W	0 9 0 - 1 L 2 4  W   0 1
	3000 K	1020 lm	81 lm/W	0 9 0 - 1 L 2 5  W   0 1
	4000 K	1090 lm	87 lm/W	0 9 0 - 1 L 2 6  W   0 1

WALL FLOOR CRI ≥ 90


SYSTEM	COLOUR TEMP.	LUM. FLUX	SYSTEM	ORDER CODE
12.6 W	2700 K	953 lm	76 lm/W	0 9 0 - 1 L 2 4  W   0 2
	3000 K	1020 lm	81 lm/W	0 9 0 - 1 L 2 5  W   0 2
	4000 K	1090 lm	87 lm/W	0 9 0 - 1 L 2 6  W   0 2

Order options

CONTROL		COLOUR		REFLECTOR	
non DIM	1	gold dust RAL 260-M	9	chrome	0
DALI-2	3	jet black RAL 9005	B	black	B
		white aluminium RAL 9006	G		
		traffic white RAL 9016	W		



UNICO L3 basic high efficient ceiling



FLOOD ROUND CRI ≥ 90

SYSTEM	COLOUR TEMP.	LUM. FLUX	SYSTEM	ORDER CODE
14.5 W	2700 K	1640 lm	113 lm/W	0 9 0 - 1 L 3 9 C 1 1
	3000 K	1710 lm	118 lm/W	0 9 0 - 1 L 3 0 C 1 1
	3500 K	1710 lm	118 lm/W	0 9 0 - 1 L 3 2 C 1 1
	4000 K	1770 lm	122 lm/W	0 9 0 - 1 L 3 1 C 1 1

WIDE FLOOD ROUND CRI ≥ 90



SYSTEM	COLOUR TEMP.	LUM. FLUX	SYSTEM	ORDER CODE
14.5 W	2700 K	1680 lm	116 lm/W	0 9 0 - 1 L 3 9 D 1 1
	3000 K	1760 lm	121 lm/W	0 9 0 - 1 L 3 0 D 1 1
	3500 K	1760 lm	121 lm/W	0 9 0 - 1 L 3 2 D 1 1
	4000 K	1830 lm	126 lm/W	0 9 0 - 1 L 3 1 D 1 1

FLOOD SQUARE CRI ≥ 90


SYSTEM	COLOUR TEMP.	LUM. FLUX	SYSTEM	ORDER CODE
14.5 W	2700 K	1720 lm	119 lm/W	0 9 0 - 1 L 3 9 F 1 1
	3000 K	1790 lm	123 lm/W	0 9 0 - 1 L 3 0 F 1 1
	3500 K	1790 lm	123 lm/W	0 9 0 - 1 L 3 2 F 1 1
	4000 K	1860 lm	128 lm/W	0 9 0 - 1 L 3 1 F 1 1

WIDE FLOOD SQUARE CRI ≥ 90

SYSTEM	COLOUR TEMP.	LUM. FLUX	SYSTEM	ORDER CODE
14.5 W	2700 K	1770 lm	122 lm/W	0 9 0 - 1 L 3 9 G 1 1
	3000 K	1840 lm	127 lm/W	0 9 0 - 1 L 3 0 G 1 1
	3500 K	1840 lm	127 lm/W	0 9 0 - 1 L 3 2 G 1 1
	4000 K	1910 lm	132 lm/W	0 9 0 - 1 L 3 1 G 1 1



UNICO L3 basic ceiling



SPOT ROUND Reflector chrome, CRI ≥ 90

SYSTEM	COLOUR TEMP.	LUM. FLUX	SYSTEM	ORDER CODE
17.9 W	2700 K	993 lm	55 lm/W	0 9 0 - 1 L 3 4 K 0 0 1
	3000 K	1060 lm	59 lm/W	0 9 0 - 1 L 3 5 K 0 0 1
	4000 K	1140 lm	64 lm/W	0 9 0 - 1 L 3 6 K 0 0 1

NARROW MEDIUM ROUND Reflector chrome, CRI ≥ 90

SYSTEM	COLOUR TEMP.	LUM. FLUX	SYSTEM	ORDER CODE
17.9 W	2700 K	1010 lm	56 lm/W	0 9 0 - 1 L 3 4 N 0 0 1
	3000 K	1080 lm	60 lm/W	0 9 0 - 1 L 3 5 N 0 0 1
	4000 K	1150 lm	64 lm/W	0 9 0 - 1 L 3 6 N 0 0 1










MEDIUM ROUND CRI ≥ 90

SYSTEM	COLOUR TEMP.	LUM. FLUX	SYSTEM	ORDER CODE
17.9 W	2700 K	1350 lm	75 lm/W	0 9 0 - 1 L 3 4 B 0 1
	3000 K	1440 lm	80 lm/W	0 9 0 - 1 L 3 5 B 0 1
	4000 K	1540 lm	86 lm/W	0 9 0 - 1 L 3 6 B 0 1










Order options

CONTROL		COLOUR		REFLECTOR	
non DIM	1	gold dust RAL 260-M	9	chrome	0
DALI-2	3	jet black RAL 9005	B	black	B
		white aluminium RAL 9006			
		traffic white RAL 9016	W		










FLOOD ROUND CRI ≥ 90

SYSTEM	COLOUR TEMP.	LUM. FLUX	SYSTEM	ORDER CODE
17.9 W	2700 K	1550 lm	87 lm/W	0 9 0 - 1 L 3 4  C   0 1
	3000 K	1650 lm	92 lm/W	0 9 0 - 1 L 3 5  C   0 1
	4000 K	1770 lm	99 lm/W	0 9 0 - 1 L 3 6  C   0 1










WIDE FLOOD ROUND CRI ≥ 90

SYSTEM	COLOUR TEMP.	LUM. FLUX	SYSTEM	ORDER CODE
17.9 W	2700 K	1540 lm	86 lm/W	0 9 0 - 1 L 3 4  D   0 1
	3000 K	1640 lm	92 lm/W	0 9 0 - 1 L 3 5  D   0 1
	4000 K	1760 lm	98 lm/W	0 9 0 - 1 L 3 6  D   0 1










MEDIUM SQUARE CRI ≥ 90

SYSTEM	COLOUR TEMP.	LUM. FLUX	SYSTEM	ORDER CODE
17.9 W	2700 K	1330 lm	74 lm/W	0 9 0 - 1 L 3 4  E   0 1
	3000 K	1410 lm	79 lm/W	0 9 0 - 1 L 3 5  E   0 1
	4000 K	1520 lm	85 lm/W	0 9 0 - 1 L 3 6  E   0 1







FLOOD SQUARE CRI ≥ 90

SYSTEM	COLOUR TEMP.	LUM. FLUX	SYSTEM	ORDER CODE
17.9 W	2700 K	1580 lm	88 lm/W	0 9 0 - 1 L 3 4  F   0 1
	3000 K	1680 lm	94 lm/W	0 9 0 - 1 L 3 5  F   0 1
	4000 K	1800 lm	101 lm/W	0 9 0 - 1 L 3 6  F   0 1




WIDE FLOOD SQUARE CRI ≥ 90

SYSTEM	COLOUR TEMP.	LUM. FLUX	SYSTEM	ORDER CODE
17.9 W	2700 K	1620 lm	91 lm/W	0 9 0 - 1 L 3 4  G   0 1
	3000 K	1730 lm	97 lm/W	0 9 0 - 1 L 3 5  G   0 1
	4000 K	1850 lm	103 lm/W	0 9 0 - 1 L 3 6  G   0 1

WALLWASHER Reflector chrome, CRI ≥ 90

SYSTEM	COLOUR TEMP.	LUM. FLUX	SYSTEM	ORDER CODE
17.9 W	2700 K	1370 lm	77 lm/W	0 9 0 - 1 L 3 4  A  0 0 1
	3000 K	1460 lm	82 lm/W	0 9 0 - 1 L 3 5  A  0 0 1
	4000 K	1570 lm	88 lm/W	0 9 0 - 1 L 3 6  A  0 0 1

Order options

CONTROL		COLOUR		REFLECTOR	
non DIM	1	gold dust RAL 260-M	9	chrome	0
DALI-2	3	jet black RAL 9005	B	black	B
		white aluminium RAL 9006	G		
		traffic white RAL 9016	W		

Office S3 Architecten, Mechelen

Belgium

Architect
S3 Architecten

Photographer
Kris Dekeijser



Used products



**MOVE IT 25 surface /
suspended system**



**JUST 45 MOVE IT
25 / 25 S / 45**




**SPOT LINE MOVE IT
25**



**UNICO L2 / L3 basic
ceiling**




TULA suspended



**MOVE IT 45 surface /
suspended system**



**L10 OFFICE MOVE IT
45**



BASO 40 suspended



**UNICO L4 / L6 basic
ceiling**



