

# MOVE IT 25 S trimless track ceiling wall


050-7211138



Project / Type

Notes

Count / Date



General

Ceiling / Wall , Recessed

black , RAL 9005 <sup>1</sup>

IP20

Electrical

DALI-2 single control

48 V

PC3

Physical

length 661 mm

width 71 mm

height 661 mm

1.5 kg

Cutout


width 62 mm

recessed depth 52 mm

<sup>1</sup> RAL code

90° angle connector ceiling - wall; Thin extruded aluminium profile with 31mm height and 28mm width groove; for trimless installation in plasterboard ceilings; suitable for wall or ceiling mounting; suitable for ceiling thickness of 12.5 mm; with integrated power track profile for take off of supply voltage and DALI signal; surface anodised black; light insets can be installed and moved without tools by means of magnetic holders+locking; degree of protection IP20; PC3; 48 V; accessories are listed separately;

Product drawing



Installation instructions



[‘050-7211138’] The technical data represent rated values for an ambient temperature of 25°C. The data values for the luminous flux are initially subject to a tolerance of +/- 10%, those for the electrical connected load are initially subject to a tolerance of +/- 10%, and those for the colour temperature are initially subject to a tolerance of +/- 150 K. No liability is assumed for typographical or printing errors. The general terms and conditions of XAL GmbH apply.  
© XAL GmbH · Auer-Welsbach-Gasse 36 · 8055 Graz · Austria · [www.xal.com](http://www.xal.com)

# MOVE IT 25 S trimless track ceiling wall

050-7211138



Project / Type

Notes

Count / Date

## Electrical accessories

### LINEAR CONNECTOR

L-W-H (MM)  
100-28-6

ARTICLE NUMBER(S)  
050-2031130



### LINEAR CONNECTOR FLEXIBLE

TYPE  
non DIM  
DALI-2

L-W-H (MM)  
78-28-6  
78-28-6

ARTICLE NUMBER(S)  
050-2032110  
050-2032130



### MECHANICAL LINEAR CONNECTOR SET

ARTICLE NUMBER(S)  
050-2011110

MECHANICAL  
80

MECHANICAL  
80

## Electrical accessories

### POWER FEEDER UNIT

TYPE  
non DIM  
DALI-2  
DALI-2

L-W-H (MM)  
78-28-6  
78-28-6  
78-28-6

ARTICLE NUMBER(S)  
050-2020110  
050-2020130  
050-2024130



### POWER SUPPLY INTRACK

TYPE  
100 W | incl. cable 2000 mm  
150 W | incl. cable 2000 mm

L-W-H (MM)  
403-26-46  
403-26-46

ARTICLE NUMBER(S)  
050-2071038  
050-2071138



### POWER SUPPLY EXTERNAL

TYPE  
60 W  
100 W  
150 W  
250 W  
320 W

L-W-H (MM)  
163-43-32  
350-30-18  
350-30-18  
400-40-22  
252-90-44

ARTICLE NUMBER(S)  
002-62133  
002-62134  
002-62135  
002-62139  
002-60320



## Optional electrical accessories

### DIN RAIL POWER SUPPLY PRO

TYPE  
240 W  
480 W

L-W-H (MM)  
60-125-100  
100-125-120

ARTICLE NUMBER(S)  
005-6220110  
005-6220210



### DIN RAIL POWER SUPPLY

TYPE  
160 W

L-W-H (MM)  
72-90-63

ARTICLE NUMBER(S)  
005-6520210



[050-7211138] The technical data represent rated values for an ambient temperature of 25°C. The data values for the luminous flux are initially subject to a tolerance of +/- 10%, those for the electrical connected load are initially subject to a tolerance of +/- 10%, and those for the colour temperature are initially subject to a tolerance of +/- 150 K. No liability is assumed for typographical or printing errors. The general terms and conditions of XAL GmbH apply.  
© XAL GmbH · Auer-Welsbach-Gasse 36 · 8055 Graz · Austria · [www.xal.com](http://www.xal.com)

04.05.2025

# MOVE IT 25 S trimless track ceiling wall

050-7211138



Project / Type

Notes

Count / Date

## Optical accessories

### END CAPS

TYPE	L-W-H (MM)	ARTICLE NUMBER(S)
1 pair	54-31-2	050-7210008



### BLIND COVER

TYPE	COLOUR	ARTICLE NUMBER(S)
1217 mm	jet black	050-7004008
2417 mm	jet black	050-7008008
3622 mm	jet black	050-7009008

