POWER SUPPLY surface

050-2055137



Project / Type

Notes Count / Date

General

traffic white | RAL 9016¹

Electrical

DALI-2
PC2
60 W
non DIM
min 90 V AC
max 305 V AC
η 90 %
Constant Voltage
min 47 Hz
max 63 Hz

Physical

length 305 mm | width 144 mm | height 54 mm

¹ RAL code



['050-2055137'] The technical data represent rated values for an ambient temperature of 25°C. The data values for the luminous flux are initially subject to a tolerance of +/- 10%, those for the electrical connected load are initially subject to a tolerance of +/- 10%, and those for the colour temperature are initially subject to a tolerance of +/- 10%. And those for the colour temperature are initially subject to a tolerance of +/- 10%. And those for the colour temperature are initially subject to a tolerance of +/- 10%. And those for the colour temperature are initially subject to a tolerance of +/- 150 K. No liability is assumed for typographical or printing errors. The general terms and conditions of XAL GmbH apply. © XAL GmbH · Auer-Welsbach-Gasse 36 · 8055 Graz · Austria · www.xal.com



POWER SUPPLY surface

050-2055137



Project / Type

Notes Count / Date

Circuit Breaker Types

Automatic Circuit Breaker Type	Number of Converters
B16	8
C16	14



['050-2055137'] The technical data represent rated values for an ambient temperature of 25°C. The data values for the luminous flux are initially subject to a tolerance of +/- 10%, those for the electrical connected load are initially subject to a tolerance of +/- 10%, and those for the colour temperature are initially subject to a tolerance of +/- 10%. The data values for the colour temperature are initially subject to a tolerance of +/- 10%, and those for the colour temperature are initially subject to a tolerance of +/- 10%. No liability is assumed for typographical or printing errors. The general terms and conditions of XAL GmbH apply.