MOVE IT 10 track

surface

030-1213038

Project / Type

Notes

Count / Date



48V

General

Ceiling | Surface
jet black | RAL 9005 [1]
IP20

Electrical

DALI-2
PC3 | 48 V

Physical

length 1100 mm | width 19 mm | height 11 mm
0.48 kg

[1] RAL code

Installation instructions

Thin extruded aluminium profile with 11 mm height and 10 mm width groove; for wall-/ceiling surface mounting; with integrated power track profile for take off of supply voltage and DALI-2 signal; surface anodised jet black; light insets can be installed and moved without tools by means of clip mount; degree of protection IP20; PC3; 48 V; accessories are listed separately;

Product drawing

['030-1213038'] The technical data represent rated values for an ambient temperature of 25°C. The data values for the luminous flux are initially subject to a tolerance of +/- 10%, those for the electrical connected load are initially subject to a tolerance of +/- 10%, and those for the colour temperature are initially subject to a tolerance of +/- 150 K. No liability is assumed for typographical or printing errors. The general terms and conditions of XAL GmbH apply.
© XAL GmbH · Auer-Welsbach-Gasse 36 · 8055 Graz · Austria · www.xal.com

MOVE IT 10 track

surface

030-1213038

Project / Type

Notes

Count / Date

Mounting accessories

END CAPS

TYPE	COLOUR	L·W·H (MM)	ARTICLE NUMBER(S)
1 pair	traffic white	19·11·10	030-1220017
1 pair	jet black	19·11·10	030-1220018

LINEAR CONNECTOR

TYPE	COLOUR	ARTICLE NUMBER(S)
mechanical	traffic white	030-1234017
mechanical	jet black	030-1234018

L CONNECTOR

TYPE	COLOUR	ARTICLE NUMBER(S)
mechanical	traffic white	030-1235017
mechanical	jet black	030-1235018

T CONNECTOR

TYPE	COLOUR	ARTICLE NUMBER(S)
mechanical	traffic white	030-1236017
mechanical	jet black	030-1236018

X CONNECTOR

TYPE	COLOUR	ARTICLE NUMBER(S)
mechanical	traffic white	030-1237017
mechanical	jet black	030-1237018

LEVEL CONNECTOR

TYPE	COLOUR	L·W·H (MM)	ARTICLE NUMBER(S)
mechanical	jet black	141·11·27	030-2351118

3-in-1 mounting tool

ARTICLE NUMBER(S)
030-2611000

© XAL GmbH · Auer-Welsbach-Gasse 36 · 8055 Graz · Austria · www.xal.com

MOVE IT 10 track

surface

030-1213038

Project / Type

Notes

Count / Date

Electrical accessories

LINEAR CONNECTOR

TYPE	COLOUR	ARTICLE NUMBER(S)
electrical	jet black	030-2101138

L CONNECTOR

TYPE	COLOUR	L·W·H (MM)	ARTICLE NUMBER(S)
electrical	jet black	85·10·85	030-2111138

T CONNECTOR

TYPE	COLOUR	L·W·H (MM)	ARTICLE NUMBER(S)
electrical	jet black	160·10·75	030-2121138

X CONNECTOR

TYPE	COLOUR	L·W·H (MM)	ARTICLE NUMBER(S)
electrical	jet black	160·10·160	030-2131138

FLEX CONNECTOR

TYPE	COLOUR	ARTICLE NUMBER(S)
electrical	jet black	030-2141138

CONNECTOR CEILING TO WALL

TYPE	COLOUR	ARTICLE NUMBER(S)
electrical	jet black	030-2161138

LEVEL CONNECTOR

TYPE	COLOUR	L·W·H (MM)	ARTICLE NUMBER(S)
electrical	jet black	141·11·27	030-2151138

Electrical accessories

INTERNAL POWER FEEDER

COLOUR	L·W·H (MM)	ARTICLE NUMBER(S)
jet black	115·11·10	030-2525038

POWER FEEDER

COLOUR	ARTICLE NUMBER(S)
jet black	030-2523038

DALI-2 SELV DEVICE

TYPE	L·W·H (MM)	ARTICLE NUMBER(S)
control unit	212·37·26	050-2061130

WIRELESS TO DALI-2 CONTROL DEVICE

L·W·H (MM)	ARTICLE NUMBER(S)
150·11·23	030-2531030

© XAL GmbH · Auer-Welsbach-Gasse 36 · 8055 Graz · Austria · www.xal.com

MOVE IT 10 track

surface

030-1213038

Project / Type

Notes

Count / Date

Electrical accessories

POWER SUPPLY EXTERNAL

L·W·H (MM)	ARTICLE NUMBER(S)
163·43·32	002-62133
350·30·18	002-62135
400·40·22	002-62139

DIN RAIL POWER SUPPLY

L·W·H (MM)	ARTICLE NUMBER(S)
72·90·63	005-6520210

Electrical accessories

DIN RAIL POWER SUPPLY PRO

L·W·H (MM)	ARTICLE NUMBER(S)
60·125·100	005-6220110
100·125·120	005-6220210

DIN RAIL POWER SUPPLY

L·W·H (MM)	ARTICLE NUMBER(S)
72·90·63	005-6520210

Optical accessories

BLIND COVER

TYPE	COLOUR	L·W·H (MM)	ARTICLE NUMBER(S)
	traffic white	1100·12·10	030-1003017
	jet black	1100·12·10	030-1003018
	traffic white	2100·12·10	030-1005017
	jet black	2100·12·10	030-1005018
	traffic white	3100·12·10	030-1007017
	jet black	3100·12·10	030-1007018
custom cut	traffic white		E83600....7
custom cut	jet black		E83600....8

['030-1213038'] The technical data represent rated values for an ambient temperature of 25°C. The data values for the luminous flux are initially subject to a tolerance of +/- 10%, those for the electrical connected load are initially subject to a tolerance of +/- 10%, and those for the colour temperature are initially subject to a tolerance of +/- 150 K. No liability is assumed for typographical or printing errors. The general terms and conditions of XAL GmbH apply.
© XAL GmbH · Auer-Welsbach-Gasse 36 · 8055 Graz · Austria · www.xal.com