

# MOVE IT 10 track square curve

suspended  
030-133103P



Project / Type

Notes

Count / Date



General

Ceiling | Track Suspended

white | RAL 9016 <sup>1</sup>

Inner colour black

IP20

Electrical

DALI-2

PC3 | 48 V

Physical

width 19 mm | height 24 mm

centerline radius 300 mm

segment 90°


<sup>1</sup> RAL code

Installation instructions



Thin extruded aluminium profile with 24 mm height and 10 mm width groove; angular design; CURVE channel 90°; for suspended mounting (1500 mm cable suspension as an accessory); height adjustment without tools; surface white powder coated; Inner colour anodised black; with integrated power track profile on both sides for take off of supply voltage and DALI-2 signal; power supply and DALI-2 signal for both power tracks with only one feed by means of PASS THROUGH connector (as an accessory); light insets can be installed and moved without tools by means of clip mount; degree of protection IP20; PC3; 48 V; accessories are listed separately;

Product drawing



# MOVE IT 10 track square curve

suspended  
030-133103P



Project / Type

Notes

Count / Date

## Mounting accessories

### END CAPS

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
1 pair	traffic white	19-24-16	030-1320017
1 pair	jet black	19-24-16	030-1320018



### L CONNECTOR

TYPE	COLOUR	ARTICLE NUMBER(S)
mechanical	traffic white	030-1335017
mechanical	jet black	030-1335018



### T CONNECTOR

TYPE	COLOUR	ARTICLE NUMBER(S)
mechanical	traffic white	030-1336017
mechanical	jet black	030-1336018



### X CONNECTOR

TYPE	COLOUR	ARTICLE NUMBER(S)
mechanical	traffic white	030-1337017
mechanical	jet black	030-1337018



### LEVEL CONNECTOR

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
mechanical	jet black	141-11-27	030-2351118



### LINEAR CONNECTOR

TYPE	L-W-H (MM)	ARTICLE NUMBER(S)
mechanical	50-16-13	030-2300018
mechanical & electrical	140-16-13	030-2301038



# MOVE IT 10 track square curve

suspended

030-133103P



Project / Type

Notes

Count / Date

## Mounting accessories

### CABLE SUSPENSION

COLOUR	ARTICLE NUMBER(S)
chrome	030-2230014
jet black	030-2230018
white	030-2230017



### CABLE SUSPENSION LINEAR CONNECTOR

COLOUR	ARTICLE NUMBER(S)
chrome	030-2210014
jet black	030-2210018
white	030-2210017



### CABLE SUSPENSION LINEAR CONNECTOR ELECTRICAL

COLOUR	ARTICLE NUMBER(S)
chrome	030-2220014
jet black	030-2220018
white	030-2220017



### CANOPY round

COLOUR	Ø (MM)	ARTICLE NUMBER(S)
traffic white	90	005-2600737
jet black	90	005-2600738



### CANOPY square

COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
traffic white	90-90-22	005-2311717
jet black	90-90-22	005-2311718



## Mounting accessories

### POLE MOUNTING SET

TYPE	COLOUR	ARTICLE NUMBER(S)
1 pair   floor to ceiling or wall to wall	traffic white	030-1341017
1 pair   floor to ceiling or wall to wall	jet black	030-1341018
wall bracket 400 mm incl. end cap   floor to wall	traffic white	030-1342017
wall bracket 400 mm incl. end cap   floor to wall	jet black	030-1342018



### MOUNTING SET ceiling

TYPE	COLOUR	ARTICLE NUMBER(S)
incl. end cap	traffic white	030-1343017
incl. end cap	jet black	030-1343018



### 3-in-1 mounting tool

ARTICLE NUMBER(S)
030-2611000



[030-133103P] The technical data represent rated values for an ambient temperature of 25°C. The data values for the luminous flux are initially subject to a tolerance of +/- 10%, those for the electrical connected load are initially subject to a tolerance of +/- 10%, and those for the colour temperature are initially subject to a tolerance of +/- 150 K. No liability is assumed for typographical or printing errors. The general terms and conditions of XAL GmbH apply.  
© XAL GmbH · Auer-Welsbach-Gasse 36 · 8055 Graz · Austria · www.xal.com

30.06.2025

# MOVE IT 10 track square curve

suspended  
030-133103P



Project / Type

Notes

Count / Date

## Electrical accessories

### L CONNECTOR

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
electrical	jet black	85-10-85	030-2111138



### T CONNECTOR

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
electrical	jet black	160-10-75	030-2121138



### X CONNECTOR

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
electrical	jet black	160-10-160	030-2131138



### LINEAR CONNECTOR

TYPE	COLOUR	ARTICLE NUMBER(S)
electrical	jet black	030-2101138



### FLEX CONNECTOR

TYPE	COLOUR	ARTICLE NUMBER(S)
electrical	jet black	030-2141138



### CONNECTOR CEILING TO WALL

TYPE	COLOUR	ARTICLE NUMBER(S)
electrical	jet black	030-2161138



### LEVEL CONNECTOR

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
electrical	jet black	141-11-27	030-2151138



## Electrical accessories

### INTERNAL POWER FEEDER

COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
jet black	115-11-10	030-2525038
jet black	115-11-10	030-2525138



### PASS THROUGH CONNECTOR

TYPE	COLOUR	ARTICLE NUMBER(S)
electrical   1 pair	jet black	030-2171138



### DALI-2 SELV DEVICE

TYPE	L-W-H (MM)	ARTICLE NUMBER(S)
control unit	212-37-26	050-2061130



### WIRELESS TO DALI-2 CONTROL DEVICE

L-W-H (MM)	ARTICLE NUMBER(S)
150-11-23	030-2531030



[030-133103P] The technical data represent rated values for an ambient temperature of 25°C. The data values for the luminous flux are initially subject to a tolerance of +/- 10%, those for the electrical connected load are initially subject to a tolerance of +/- 10%, and those for the colour temperature are initially subject to a tolerance of +/- 150 K. No liability is assumed for typographical or printing errors. The general terms and conditions of XAL GmbH apply.  
© XAL GmbH · Auer-Welsbach-Gasse 36 · 8055 Graz · Austria · www.xal.com

# MOVE IT 10 track square curve

suspended  
030-133103P



Project / Type

Notes

Count / Date

## Electrical accessories

### POWER SUPPLY EXTERNAL

L-W-H (MM)	ARTICLE NUMBER(S)
163-43-32	002-62133
350-30-18	002-62135
400-40-22	002-62139

### DIN RAIL POWER SUPPLY

L-W-H (MM)	ARTICLE NUMBER(S)
72-90-63	005-6520210

## Electrical accessories

### DIN RAIL POWER SUPPLY PRO

L-W-H (MM)	ARTICLE NUMBER(S)
60-125-100	005-6220110
100-125-120	005-6220210

### DIN RAIL POWER SUPPLY

L-W-H (MM)	ARTICLE NUMBER(S)
72-90-63	005-6520210

## Optical accessories

### BLIND COVER

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
	traffic white	1100-12-10	030-1003017
	jet black	1100-12-10	030-1003018
	traffic white	2100-12-10	030-1005017
	jet black	2100-12-10	030-1005018
	traffic white	3100-12-10	030-1007017
	jet black	3100-12-10	030-1007018
custom cut	traffic white		E83600....7
custom cut	jet black		E83600....8

