

MOVE IT 10 track square suspended /

pole
030-131303P



Project / Type

Notes

Count / Date



General

Ceiling | Track Suspended

white | RAL 9016 ¹

Inner colour black

IP20

Electrical

DALI-2

PC3 | 48 V

Physical

length 1100 mm | width 19 mm | height 24 mm

0.73 kg

¹ RAL code

Installation
instructions



Thin extruded aluminium profile with 24 mm height and 10 mm width groove; angular design; for vertical, horizontal or suspended mounting (1500 mm cable suspension as an accessory); height adjustment without tools; surface white powder coated; Inner colour anodised black; with integrated power track profile on both sides for take off of supply voltage and DALI-2 signal; power supply and DALI-2 signal for both power tracks with only one feed by means of PASS THROUGH connector (as an accessory); light insets can be installed and moved without tools by means of clip mount; degree of protection IP20; PC3; 48 V; accessories are listed separately;

Product drawing





Project / Type

Notes

Count / Date

Mounting accessories

END CAPS

| TYPE | COLOUR | L-W-H (MM) | ARTICLE NUMBER(S) |
|--------|---------------|------------|-------------------|
| 1 pair | traffic white | 19-24-16 | 030-1320017 |
| 1 pair | jet black | 19-24-16 | 030-1320018 |



L CONNECTOR

| TYPE | COLOUR | ARTICLE NUMBER(S) |
|------------|---------------|-------------------|
| mechanical | traffic white | 030-1335017 |
| mechanical | jet black | 030-1335018 |



T CONNECTOR

| TYPE | COLOUR | ARTICLE NUMBER(S) |
|------------|---------------|-------------------|
| mechanical | traffic white | 030-1336017 |
| mechanical | jet black | 030-1336018 |



X CONNECTOR

| TYPE | COLOUR | ARTICLE NUMBER(S) |
|------------|---------------|-------------------|
| mechanical | traffic white | 030-1337017 |
| mechanical | jet black | 030-1337018 |



LEVEL CONNECTOR

| TYPE | COLOUR | L-W-H (MM) | ARTICLE NUMBER(S) |
|------------|-----------|------------|-------------------|
| mechanical | jet black | 141-11-27 | 030-2351118 |



LINEAR CONNECTOR

| TYPE | L-W-H (MM) | ARTICLE NUMBER(S) |
|-------------------------|------------|-------------------|
| mechanical | 50-16-13 | 030-2300018 |
| mechanical & electrical | 140-16-13 | 030-2301038 |



MOVE IT 10 track square suspended /

pole

030-131303P



Project / Type

Notes

Count / Date

Mounting accessories

CABLE SUSPENSION

| COLOUR | ARTICLE NUMBER(S) |
|-----------|-------------------|
| chrome | 030-2230014 |
| jet black | 030-2230018 |
| white | 030-2230017 |



CABLE SUSPENSION LINEAR CONNECTOR

| COLOUR | ARTICLE NUMBER(S) |
|-----------|-------------------|
| chrome | 030-2210014 |
| jet black | 030-2210018 |
| white | 030-2210017 |



CABLE SUSPENSION LINEAR CONNECTOR ELECTRICAL

| COLOUR | ARTICLE NUMBER(S) |
|-----------|-------------------|
| chrome | 030-2220014 |
| jet black | 030-2220018 |
| white | 030-2220017 |



CANOPY round

| COLOUR | Ø (MM) | ARTICLE NUMBER(S) |
|---------------|--------|-------------------|
| traffic white | 90 | 005-2600737 |
| jet black | 90 | 005-2600738 |



CANOPY square

| COLOUR | L-W-H (MM) | ARTICLE NUMBER(S) |
|---------------|------------|-------------------|
| traffic white | 90-90-22 | 005-2311717 |
| jet black | 90-90-22 | 005-2311718 |



Mounting accessories

POLE MOUNTING SET

| TYPE | COLOUR | ARTICLE NUMBER(S) |
|---|---------------|-------------------|
| 1 pair floor to ceiling or wall to wall | traffic white | 030-1341017 |
| 1 pair floor to ceiling or wall to wall | jet black | 030-1341018 |
| wall bracket 400 mm incl. end cap floor to wall | traffic white | 030-1342017 |
| wall bracket 400 mm incl. end cap floor to wall | jet black | 030-1342018 |



MOUNTING SET ceiling

| TYPE | COLOUR | ARTICLE NUMBER(S) |
|---------------|---------------|-------------------|
| incl. end cap | traffic white | 030-1343017 |
| incl. end cap | jet black | 030-1343018 |



3-in-1 mounting tool

| ARTICLE NUMBER(S) |
|-------------------|
| 030-2611000 |



MOVE IT 10 track square suspended /

pole
030-131303P



Project / Type

Notes

Count / Date

Electrical accessories

L CONNECTOR

| TYPE | COLOUR | L-W-H (MM) | ARTICLE NUMBER(S) |
|------------|-----------|------------|-------------------|
| electrical | jet black | 85-10-85 | 030-2111138 |



T CONNECTOR

| TYPE | COLOUR | L-W-H (MM) | ARTICLE NUMBER(S) |
|------------|-----------|------------|-------------------|
| electrical | jet black | 160-10-75 | 030-2121138 |



X CONNECTOR

| TYPE | COLOUR | L-W-H (MM) | ARTICLE NUMBER(S) |
|------------|-----------|------------|-------------------|
| electrical | jet black | 160-10-160 | 030-2131138 |



LINEAR CONNECTOR

| TYPE | COLOUR | ARTICLE NUMBER(S) |
|------------|-----------|-------------------|
| electrical | jet black | 030-2101138 |



FLEX CONNECTOR

| TYPE | COLOUR | ARTICLE NUMBER(S) |
|------------|-----------|-------------------|
| electrical | jet black | 030-2141138 |



CONNECTOR CEILING TO WALL

| TYPE | COLOUR | ARTICLE NUMBER(S) |
|------------|-----------|-------------------|
| electrical | jet black | 030-2161138 |



LEVEL CONNECTOR

| TYPE | COLOUR | L-W-H (MM) | ARTICLE NUMBER(S) |
|------------|-----------|------------|-------------------|
| electrical | jet black | 141-11-27 | 030-2151138 |



Electrical accessories

INTERNAL POWER FEEDER

| COLOUR | L-W-H (MM) | ARTICLE NUMBER(S) |
|-----------|------------|-------------------|
| jet black | 115-11-10 | 030-2525038 |
| jet black | 115-11-10 | 030-2525138 |



PASS THROUGH CONNECTOR

| TYPE | COLOUR | ARTICLE NUMBER(S) |
|---------------------|-----------|-------------------|
| electrical 1 pair | jet black | 030-2171138 |



DALI-2 SELV DEVICE

| TYPE | L-W-H (MM) | ARTICLE NUMBER(S) |
|--------------|------------|-------------------|
| control unit | 212-37-26 | 050-2061130 |



WIRELESS TO DALI-2 CONTROL DEVICE

| L-W-H (MM) | ARTICLE NUMBER(S) |
|------------|-------------------|
| 150-11-23 | 030-2531030 |



[030-131303P] The technical data represent rated values for an ambient temperature of 25°C. The data values for the luminous flux are initially subject to a tolerance of +/- 10%, those for the electrical connected load are initially subject to a tolerance of +/- 10%, and those for the colour temperature are initially subject to a tolerance of +/- 150 K. No liability is assumed for typographical or printing errors. The general terms and conditions of XAL GmbH apply.
© XAL GmbH · Auer-Welsbach-Gasse 36 · 8055 Graz · Austria · www.xal.com



Project / Type _____

Notes _____

Count / Date _____

Electrical accessories

POWER SUPPLY EXTERNAL

| L-W-H (MM) | ARTICLE NUMBER(S) |
|------------|-------------------|
| 163-43-32 | 002-62133 |
| 350-30-18 | 002-62135 |
| 400-40-22 | 002-62139 |

DIN RAIL POWER SUPPLY

| L-W-H (MM) | ARTICLE NUMBER(S) |
|------------|-------------------|
| 72-90-63 | 005-6520210 |

Electrical accessories

DIN RAIL POWER SUPPLY PRO

| L-W-H (MM) | ARTICLE NUMBER(S) |
|-------------|-------------------|
| 60-125-100 | 005-6220110 |
| 100-125-120 | 005-6220210 |

DIN RAIL POWER SUPPLY

| L-W-H (MM) | ARTICLE NUMBER(S) |
|------------|-------------------|
| 72-90-63 | 005-6520210 |

Optical accessories

BLIND COVER

| TYPE | COLOUR | L-W-H (MM) | ARTICLE NUMBER(S) |
|------------|---------------|------------|-------------------|
| | traffic white | 1100-12-10 | 030-1003017 |
| | jet black | 1100-12-10 | 030-1003018 |
| | traffic white | 2100-12-10 | 030-1005017 |
| | jet black | 2100-12-10 | 030-1005018 |
| | traffic white | 3100-12-10 | 030-1007017 |
| | jet black | 3100-12-10 | 030-1007018 |
| custom cut | traffic white | | E83600....7 |
| custom cut | jet black | | E83600....8 |