

MOVE IT 10 track

surface


030-121503P



Project / Type

Notes

Count / Date



General

Ceiling | Surface

white | RAL 9016 ¹

Inner colour black

IP20

Electrical

DALI-2

PC3 | 48 V

Physical

length 2100 mm | width 19 mm | height 11 mm

0.53 kg

¹ RAL code

Installation instructions



Thin extruded aluminium profile with 11 mm height and 10 mm width groove; for wall-/ceiling surface mounting; with integrated power track profile for take off of supply voltage and DALI-2 signal; surface white powder coated; Inner colour anodised black; light insets can be installed and moved without tools by means of clip mount; degree of protection IP20; PC3; 48 V; accessories are listed separately;

Product drawing



MOVE IT 10 track

surface
030-121503P



Project / Type

Notes

Count / Date

Mounting accessories

END CAPS

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
1 pair	traffic white	19-11-10	030-1220017
1 pair	jet black	19-11-10	030-1220018

LINEAR CONNECTOR

TYPE	COLOUR	ARTICLE NUMBER(S)
mechanical	traffic white	030-1234017
mechanical	jet black	030-1234018

L CONNECTOR

TYPE	COLOUR	ARTICLE NUMBER(S)
mechanical	traffic white	030-1235017
mechanical	jet black	030-1235018

T CONNECTOR

TYPE	COLOUR	ARTICLE NUMBER(S)
mechanical	traffic white	030-1236017
mechanical	jet black	030-1236018

X CONNECTOR

TYPE	COLOUR	ARTICLE NUMBER(S)
mechanical	traffic white	030-1237017
mechanical	jet black	030-1237018

LEVEL CONNECTOR

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
mechanical	jet black	141-11-27	030-2351118

3-in-1 mounting tool

ARTICLE NUMBER(S)
030-2611000



MOVE IT 10 track

surface
030-121503P



Project / Type

Notes

Count / Date

Electrical accessories

LINEAR CONNECTOR

TYPE	COLOUR	ARTICLE NUMBER(S)
electrical	jet black	030-2101138

L CONNECTOR

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
electrical	jet black	85-10-85	030-2111138

T CONNECTOR

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
electrical	jet black	160-10-75	030-2121138

X CONNECTOR

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
electrical	jet black	160-10-160	030-2131138

FLEX CONNECTOR

TYPE	COLOUR	ARTICLE NUMBER(S)
electrical	jet black	030-2141138

CONNECTOR CEILING TO WALL

TYPE	COLOUR	ARTICLE NUMBER(S)
electrical	jet black	030-2161138

LEVEL CONNECTOR

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
electrical	jet black	141-11-27	030-2151138

Electrical accessories

INTERNAL POWER FEEDER

COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
jet black	115-11-10	030-2525038

POWER FEEDER

COLOUR	ARTICLE NUMBER(S)
jet black	030-2523038

DALI-2 SELV DEVICE

TYPE	L-W-H (MM)	ARTICLE NUMBER(S)
control unit	212-37-26	050-2061130

WIRELESS TO DALI-2 CONTROL DEVICE

L-W-H (MM)	ARTICLE NUMBER(S)
150-11-23	030-2531030



[030-121503P] The technical data represent rated values for an ambient temperature of 25°C. The data values for the luminous flux are initially subject to a tolerance of +/- 10%, those for the electrical connected load are initially subject to a tolerance of +/- 10%, and those for the colour temperature are initially subject to a tolerance of +/- 150 K. No liability is assumed for typographical or printing errors. The general terms and conditions of XAL GmbH apply.
© XAL GmbH · Auer-Welsbach-Gasse 36 · 8055 Graz · Austria · www.xal.com

MOVE IT 10 track

surface
030-121503P



Project / Type

Notes

Count / Date

Electrical accessories

POWER SUPPLY EXTERNAL

L-W-H (MM)	ARTICLE NUMBER(S)
163-43-32	002-62133
350-30-18	002-62135
400-40-22	002-62139

DIN RAIL POWER SUPPLY

L-W-H (MM)	ARTICLE NUMBER(S)
72-90-63	005-6520210

Electrical accessories

DIN RAIL POWER SUPPLY PRO

L-W-H (MM)	ARTICLE NUMBER(S)
60-125-100	005-6220110
100-125-120	005-6220210

DIN RAIL POWER SUPPLY

L-W-H (MM)	ARTICLE NUMBER(S)
72-90-63	005-6520210

Optical accessories

BLIND COVER

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
	traffic white	1100-12-10	030-1003017
	jet black	1100-12-10	030-1003018
	traffic white	2100-12-10	030-1005017
	jet black	2100-12-10	030-1005018
	traffic white	3100-12-10	030-1007017
	jet black	3100-12-10	030-1007018
custom cut	traffic white		E83600....7
custom cut	jet black		E83600....8

