

# MOVE IT PRO track emergency

086-5114138



Project / Type

Notes

Count / Date



General

Ceiling | Suspended

black | RAL 9005 <sup>1</sup>

IP20

Electrical

DALI-2

PC1

Physical

length 4000 mm | width 45 mm | height 59 mm

6.2 kg


<sup>1</sup> RAL code

Installation instructions



Extruded aluminium profile with 45 mm width and 59 mm height; for ceiling surface mounting or suspended mounting (cable suspension as an accessory); height adjustment without tools; with integrated 3-phase copper conductors + 4 emergency lighting copper conductors (2 emergency lighting circuits) + 2 DALI copper conductors for take off of supply voltage, emergency lighting power supply and DALI signal; surface black powder coated; insets, incl. high power adapter + converter can be installed flexibly and without tools; degree of protection IP20; PC1; accessories are listed separately;

Product drawing



# MOVE IT PRO track emergency

086-5114138



Project / Type

Notes

Count / Date

## Mounting accessories

### END CAP trimless

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
1 piece	traffic white	45-20-59	086-5210117
1 piece	jet black	45-20-59	086-5210118



## Mounting accessories

### CONNECTOR trimless

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
linear connector electrical	jet black	122-27-33	086-5211138




### L CONNECTOR

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
poles external	traffic white	140-140-55	086-5211337
poles external	jet black	140-140-55	086-5211338
poles internal	traffic white	140-140-55	086-5212337
poles internal	jet black	140-140-55	086-5212338
mechanical	traffic white	92-92-55	086-5212307
mechanical	jet black	92-92-55	086-5212308




### T CONNECTOR

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
poles internal - right	traffic white	236-140-55	086-5211437
poles internal - right	jet black	236-140-55	086-5211438
poles internal - left	traffic white	236-140-55	086-5212437
poles internal - left	jet black	236-140-55	086-5212438
poles external - right	traffic white	236-140-55	086-5211737
poles external - right	jet black	236-140-55	086-5211738
poles external - left	traffic white	236-140-55	086-5212737
poles external - left	jet black	236-140-55	086-5212738
mechanical	traffic white	138-92-55	086-5212407
mechanical	jet black	138-92-55	086-5212408



### X CONNECTOR

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
	traffic white	236-236-55	086-5211537
	jet black	236-236-55	086-5211538
mechanical	traffic white	138-138-55	086-5211507
mechanical	jet black	138-138-55	086-5211508



### LINEAR CONNECTOR

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
mechanical	traffic white	120-41-18	086-5211107
mechanical	jet black	120-41-18	086-5211108



[086-5114138] The technical data represent rated values for an ambient temperature of 25°C. The data values for the luminous flux are initially subject to a tolerance of +/- 10%, those for the electrical connected load are initially subject to a tolerance of +/- 10%, and those for the colour temperature are initially subject to a tolerance of +/- 150 K. No liability is assumed for typographical or printing errors. The general terms and conditions of XAL GmbH apply.  
© XAL GmbH · Auer-Welsbach-Gasse 36 · 8055 Graz · Austria · www.xal.com

21.06.2025

# MOVE IT PRO track emergency

086-5114138



Project / Type

Notes

Count / Date

## Mounting accessories

### CEILING FASTENER

COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
traffic white	81-44-8	086-5215117
jet black	81-44-8	086-5215118



### SUSPENSION BRACKET

COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
traffic white	41-36-19	086-5215217
jet black	41-36-19	086-5215218



### LINEAR SUSPENSION CONNECTOR

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
mechanical	traffic white	120-41-18	086-5215317
mechanical	jet black	120-41-18	086-5215318



### DRILLING TEMPLATE

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
for indirect inset	white	80-36-12	086-5219510



## Mounting accessories

### CABLE SUSPENSION

COLOUR	ARTICLE NUMBER(S)
chrome	086-5217110
black	086-5217118
chrome	086-5217210
black	086-5217218
chrome	086-5217310
black	086-5217318



### CONNECTOR CABLE SUSPENSION

COLOUR	ARTICLE NUMBER(S)
chrome	058-3018210
black	058-3018218
chrome	058-3018310
black	058-3018318
black	058-3018118
chrome	058-3018110



### CONNECTOR CABLE SUSPENSION TOOL

COLOUR	ARTICLE NUMBER(S)
white	050-2049210



# MOVE IT PRO track emergency

086-5114138



Project / Type \_\_\_\_\_

Notes \_\_\_\_\_

Count / Date \_\_\_\_\_

## Electrical accessories

### POWER FEEDER WITH EMERGENCY CONDUCTORS

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
end feed poles right	traffic white	324-45-52	086-5214137
end feed poles right	jet black	324-45-52	086-5214138
end feed poles left	traffic white	324-45-52	086-5213137
end feed poles left	jet black	324-45-52	086-5213138
middle feed	traffic white	500-45-59	086-5213237
middle feed	jet black	500-45-59	086-5213238



### POWER FEEDER WITHOUT EMERGENCY CONDUCTORS

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
intrack feed	jet black	131-24-33	086-5213338



## Electrical accessories

### ESSENTIAL SENSOR MOVE IT PRO

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
brightness & presence	traffic white	260-43-46	086-5218117
brightness & presence	jet black	260-43-46	086-5218118



### SENSE SENSOR MOVE IT PRO

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
brightness, presence, temperature, sound pressure, humidity, CO2	traffic white	260-43-46	086-5218127
brightness, presence, temperature, sound pressure, humidity, CO2	jet black	260-43-46	086-5218128



## Optical accessories

### BLIND COVER

COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
traffic white	25000-45-5	086-6082507B
jet black	25000-45-5	086-6082508B



### BLIND COVER ALUMINIUM

COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
traffic white	1000-45-9	086-6010007B
jet black	1000-45-9	086-6010008B
traffic white	2000-45-9	086-6030007B
jet black	2000-45-9	086-6030008B
traffic white	3000-45-9	086-6050007B
jet black	3000-45-9	086-6050008B

