

# MICRO 10

recessed  
011-8100118M



Project / Type


Notes

Count / Date



Round recessed spotlight in aluminium; surface lacquered in black; with trim; suitable for ceiling thickness of 10-20 mm; light colour 4000 K; binning initial MacAdam  $\leq 3$  SDCM; CRI  $\geq 95$ ; min. 85% of luminous flux after 50000 operating hours; energy efficient LEDs with high CRI; incl. high quality lens system; precise radiation characteristic with 30° beam; degree of protection IP20; PC3; plug and play electrical connector system for toolless mounting (available as an accessory); accessories are listed separately; light source replaceable by an authorized professional;


## Light distribution



medium 30°

h (m)	E0° (lx)	ø (m)
1	304	0.54
2	76	1.07
3	34	1.61
4	19	2.15
5	12	2.68

## Product drawing



## General

Showcase , Recessed

black , RAL 9021<sup>1</sup>

IP20

Interior

100 lm

fixture 99 lm/W<sup>2</sup>

## LED

4000 K

CRI  $\geq 95$

L85 / 50000 h

initial MacAdam  $\leq 3$  SDCM

R<sub>g</sub>: 100 , R<sub>f</sub>: 94 , R<sub>f(1-5)</sub>: 96

MR 0.87

MDER 0.78

## Optical

medium

beam angle 30°

## Electrical

excl. driver

fixture 1.0 W

350 mA

PC3

## Physical

length 20 mm

width 20 mm

height 33 mm

0.1 kg

## Cutout

min. ceiling thickness 10 mm

max. ceiling thickness 20 mm

<sup>1</sup> RAL code

<sup>2</sup> incl. consideration of optical losses & internal control unit losses

## Installation instructions



# MICRO 10

recessed

011-8100118M



Project / Type

Notes

Count / Date

## Maintenance Factors

Operating Time [h]	10 000	20 000	30 000	40 000	50 000
LLMF	0.983	0.957	0.931	0.906	0.881
LSF	1	1	1	1	1

MF	LMF × RSMF × LLMF × LSF	RSMF <sup>a</sup>	Room Surface Maintenance Factor
MF	Maintenance Factor	LLMF	Lamp Lumens Maintenance Factor
LMF <sup>a</sup>	Luminaire Maintenance Factor	LSF	Lamp Survival Factor

<sup>a</sup> According to "CIE 97, Maintenance of indoor electric lighting systems", 2005, ISBN 3-900-734-34-8. The values must be determined by the planner.

## Electrical accessories

### POWER SUPPLY EU

TYPE	L-W-H (MM)	ARTICLE NUMBER(S)
15 W   DALI-2	145-33-21	011-9211130



## Electrical accessories

### SPLITTER SERIAL

TYPE	L-W-H (MM)	ARTICLE NUMBER(S)
3 × socket / 1 × plug	38-30-10	011-9228300
6 × socket / 1 × plug	55-32-10	011-9228600



## Electrical accessories

### EXTENSION CABLE

TYPE	ARTICLE NUMBER(S)
1 × socket / 1 × plug	011-9221120
1 × socket / 1 × plug	011-9221140
1 × socket / 1 × plug	011-9221180

