



Quickinfo

PET felt made of at least 50% post-consumer recycled material
up to absorption class A
flame retardant version available

Types



Colours



MINO CIRCLE acoustic


ceiling / suspended


EN Acoustic element made of high quality, self-supporting, at least 75 % recycled PET felt with sound absorbing properties; round design; high quality visual and tactile surface; absorption of direct sound and sound reflected from the ceiling; this creates high acoustic performance; choice of surface mounted and pendant versions with cable suspension; toolless suspension height adjustment of the acoustic element


DE Akustikelement aus hochwertigem, selbsttragenden, mind. 75 % recycelten PET-Filz mit schallabsorbierenden Eigenschaften; Bauform rund; optisch und haptisch hochwertige Oberfläche; Absorption des Direktschalls und des von der Decke reflektierten Schalls; dadurch hohe akustische Performance; wahlweise angebaute oder abgehängte Variante mit Seilabhängung; werkzeuglose Höhenverstellung am Akustikelement




made of at least 75% post-consumer recycled PET felt









MINO CIRCLE acoustic

A B **C** D E	PET felt	0.7 NRC	0.74 SAA
α_w = 0.65			

CEILING

COLOUR	ORDER CODE
anthracite	0 3 4 - 2 7 1 **D** 1 1 B
black	0 3 4 - 2 7 1 **D** 1 1 L
felt grey	0 3 4 - 2 7 1 **D** 1 1 G
limestone	0 3 4 - 2 7 1 **D** 1 1 S
marble grey	0 3 4 - 2 7 1 **D** 1 1 D
white	0 3 4 - 2 7 1 **D** 1 1 W

EQUIVALENT SOUND ABSORPTION AREA (A_{EQ} M^2)

Ø(mm)	125Hz	250Hz	500Hz	1000Hz	2000Hz	4000Hz
937	0.1	0.27	0.7	1.17	1.07	1
1434	0.3	0.6	1.43	2.3	2.17	2.1


SUSPENDED

COLOUR	ORDER CODE
anthracite	0 3 4 - 2 7 2 **D** 1 1 B
black	0 3 4 - 2 7 2 **D** 1 1 L
felt grey	0 3 4 - 2 7 2 **D** 1 1 G
limestone	0 3 4 - 2 7 2 **D** 1 1 S
marble grey	0 3 4 - 2 7 2 **D** 1 1 D
white	0 3 4 - 2 7 2 **D** 1 1 W

EQUIVALENT SOUND ABSORPTION AREA (A_{EQ} M^2)

Ø(mm)	125Hz	250Hz	500Hz	1000Hz	2000Hz	4000Hz
937	0.5	0.5	0.87	1.3	1.43	1.57
1434	0.97	1.2	1.83	2.67	3.07	3.3

SOUND ABSORPTION COEFFICIENTS




Acoustic data
calculations based on
MINO CIRCLE ACOUSTIC 1000:
cavity 3cm

Order options

DIAMETER	D
937 mm	1
1434 mm	2

COLOUR	
anthracite	RAL 7021
marble grey	RAL 7047
felt grey	RAL 7037
limestone	RAL 070 70 20



Acoustic data
calculations based on
MINO CIRCLE ACOUSTIC 1000:
cavity 100cm

Office e-sy AG

Switzerland

Lighting Design
Studio Z20 AG


Photographer
Philip Böni




Used products



MINO 60 CURVE ceiling / suspended system





MINO CIRCLE acoustic ceiling / suspended



SASSO 60 round downlight recessed 1 lamp

No liability is assumed for typographical or printing errors.
© XAL GmbH · Auer-Welsbach-Gasse 36 · 8055 Graz · Austria · www.xal.com


e-sy


e-sy

