

MINO CIRCLE acoustic

ceiling / suspended


EN Acoustic element made of high quality, self-supporting, at least 50% recycled PET felt with sound absorbing properties; round design; high quality visual and tactile surface; absorption of direct sound and sound reflected from the ceiling; this creates high acoustic performance; choice of surface mounted and pendant versions with cable suspension; toolless suspension height adjustment of the acoustic element

ES Elemento acústico de fieltro PET al menos un 50 % reciclado y autoportante de calidad superior con propiedades de absorción del sonido; forma redonda; superficie de gran calidad óptica y táctil; absorción del sonido directo y del reflejado por el techo; con ello gran rendimiento acústico; opcionalmente como variante superpuesta o colgada con cable; ajuste de altura sin herramientas en elemento acústico

Quickinfo

fieltro PET compuesto de al menos un 50% de material reciclado post-consumer hasta clase de absorbente A versión ignífuga disponible


Types



Color





made of at least 50% post-consumer recycled PET felt



MINO CIRCLE acoustic

A	B	C	D	E
$\alpha_w = 0.65$				

	0.7	0.74
PETfelt	NRC	SAA



CEILING

COLOUR

anthracite
black
felt grey
limestone
marble grey
white

ORDER CODE

0 3 4 - 2 7 1 D 1 1 B
0 3 4 - 2 7 1 D 1 1 L
0 3 4 - 2 7 1 D 1 1 G
0 3 4 - 2 7 1 D 1 1 S
0 3 4 - 2 7 1 D 1 1 D
0 3 4 - 2 7 1 D 1 1 W

EQUIVALENT SOUND ABSORPTION AREA ($A_{EQ} M^2$)

Ø (mm)	125Hz	250Hz	500Hz	1000Hz	2000Hz	4000Hz
937	0.1	0.27	0.7	1.17	1.07	1
1434	0.3	0.6	1.43	2.3	2.17	2.1

SUSPENDED

COLOUR

anthracite
black
felt grey
limestone
marble grey
white


ORDER CODE

0 3 4 - 2 7 2 D 1 1 B
0 3 4 - 2 7 2 D 1 1 L
0 3 4 - 2 7 2 D 1 1 G
0 3 4 - 2 7 2 D 1 1 S
0 3 4 - 2 7 2 D 1 1 D
0 3 4 - 2 7 2 D 1 1 W

EQUIVALENT SOUND ABSORPTION AREA ($A_{EQ} M^2$)


Ø (mm)	125Hz	250Hz	500Hz	1000Hz	2000Hz	4000Hz
937	0.5	0.5	0.87	1.3	1.43	1.57
1434	0.97	1.2	1.83	2.67	3.07	3.3

SOUND ABSORPTION COEFFICIENTS



Order options

DIAMETER	D
937 mm	1
1434 mm	2



Order options

DIAMETER	D
937 mm	1
1434 mm	2

Office e-sy AG


Suiza

Lighting Design
Studio Z20 AG

Fotografía
Philip Böni



Productos utilizados



MINO CIRCLE
acoustic ceiling /
suspended



MINO 60 CURVE
ceiling / suspended
system

