



MINO CIRCLE acoustic

ceiling / suspended


EN Acoustic element made of high quality, self-supporting, at least 50% recycled PET felt with sound absorbing properties; round design; high quality visual and tactile surface; absorption of direct sound and sound reflected from the ceiling; this creates high acoustic performance; choice of surface mounted and pendant versions with cable suspension; toolless suspension height adjustment of the acoustic element

FR Élément acoustique en feutre PET recyclé à 50% au moins, autoportant, haute qualité, doué de propriétés insonorisantes ; forme ronde ; surface aux grandes qualités visuelles et tactiles ; absorption du bruit direct et du bruit réfléchi par le plafond ; pour de meilleures performances acoustiques ; variante au choix fixée ou suspendue avec suspension par câble ; réglage de la hauteur sans outil au niveau de l'élément acoustique

Quickinfo

feutre PET
composé d'au moins 50 % de
matériau recyclé post-consumer
jusqu'à la classe d'absorption A
version ignifugée disponible




Types



Couleur



made of at
least 50%
post-consumer
recycled PET
felt



MINO CIRCLE acoustic

A	B	C	D	E
$\alpha_w = 0.65$				



0.7
NRC

0.74
SAA

CEILING

COLOUR

anthracite	
black	
limestone	
marble grey	
white	

ORDER CODE

0	3	4	-	2	7	1	D	1	1	B
0	3	4	-	2	7	1	D	1	1	L
0	3	4	-	2	7	1	D	1	1	S
0	3	4	-	2	7	1	D	1	1	D
0	3	4	-	2	7	1	D	1	1	W

Equivalent sound absorption area ($A_{eq} m^2$)

Ø (mm)	125Hz	250Hz	500Hz	1000Hz	2000Hz	4000Hz
937	0.1	0.27	0.7	1.17	1.07	1
1434	0.3	0.6	1.43	2.3	2.17	2.1

SUSPENDED

COLOUR

anthracite	
black	
limestone	
marble grey	
white	


ORDER CODE

0	3	4	-	2	7	2	D	1	1	B
0	3	4	-	2	7	2	D	1	1	L
0	3	4	-	2	7	2	D	1	1	S
0	3	4	-	2	7	2	D	1	1	D
0	3	4	-	2	7	2	D	1	1	W

Equivalent sound absorption area ($A_{eq} m^2$)


Ø (mm)	125Hz	250Hz	500Hz	1000Hz	2000Hz	4000Hz
937	0.5	0.5	0.87	1.3	1.43	1.57
1434	0.97	1.2	1.83	2.67	3.07	3.3

Sound absorption coefficients



Order options

DIAMETER	D
937 mm	1
1434 mm	2



Office e-sy AG

Suisse

Lighting Design
Studio Z20 AG


Photographe
Philip Böni




Produits utilisés



MINO 60 CURVE
ceiling / suspended
system



SASSO 60 round
recessed 1 lamp



MINO CIRCLE
acoustic ceiling /
suspended

