


Types



Répartition de la lumière



VARO 80 / 110

EN Track spotlight in die-cast aluminium, available in 2 different sizes; surface powder coated; spotlight head 355° rotatable and 90° tiltable; converter installed in aluminium spotlight housing; high quality reflector with spherical facet finish; precise radiation characteristics with different beam angles; installed and exchanged without tools; optical attachments as accessories; COB (Chip on Board) technology for maximum efficiency; no multiple shadows; energy-efficient LEDs with very good colour rendering; adapter for toolless insertion or movement on a variety of 3-phase power tracks

FR Spots sur rail en fonte d'aluminium, disponible dans 2 tailles ; surface thermolaquée ; tête de spot rotatif à 355° et orientable à 90° ; convertisseur installé dans boîtier de spot en aluminium ; réflecteur de grande qualité avec optique facette sphérique ; précision de caractéristique de rayonnement avec divers angles de diffusion ; Installation resp. remplacement sans outil ; eléments optiques comme accessoires ; avec technologie COB (Chip on Board) pour efficacité maximale ; pas de formation d'ombres multiples ; LED économes en énergie à restitution de couleur élevée ; adaptateur pour installation ou déplacement sans outil dans différents rails triphasés




355° rotatable, 90° tiltable



CRI ≥ 95 2 SDCM (optional)



VARO 80 track



SPOT 17°, CRI ≥ 90, non DIM

SYSTEM	COLOUR TEMP.	LUM. FLUX	EFFICACY	ORDER CODE
28.8 W	3000 K	2520 lm	88 lm/W	080-621051 ◪ S
	4000 K	2710 lm	94 lm/W	080-621061 ◪ S

MEDIUM 28°, CRI ≥ 90, non DIM


SYSTEM	COLOUR TEMP.	LUM. FLUX	EFFICACY	ORDER CODE
28.8 W	3000 K	2560 lm	89 lm/W	080-621051 ◪ M
	4000 K	2750 lm	95 lm/W	080-621061 ◪ M

FLOOD 38°, CRI ≥ 90, non DIM

SYSTEM	COLOUR TEMP.	LUM. FLUX	EFFICACY	ORDER CODE
28.8 W	3000 K	2520 lm	88 lm/W	080-621051 ◪ F
	4000 K	2700 lm	94 lm/W	080-621061 ◪ F



VARO 110 track



SPOT 14°, CRI ≥ 90, non DIM

SYSTEM	COLOUR TEMP.	LUM. FLUX	EFFICACY	ORDER CODE
41.0 W	3000 K	3740 lm	91 lm/W	080-612051 ◪ S
	4000 K	3950 lm	96 lm/W	080-612061 ◪ S

MEDIUM 24°, CRI ≥ 90, non DIM

SYSTEM	COLOUR TEMP.	LUM. FLUX	EFFICACY	ORDER CODE
41.0 W	3000 K	3790 lm	92 lm/W	080-612051 ◪ M
	4000 K	4010 lm	98 lm/W	080-612061 ◪ M

FLOOD 33°, CRI ≥ 90, non DIM

SYSTEM	COLOUR TEMP.	LUM. FLUX	EFFICACY	ORDER CODE
41.0 W	3000 K	3830 lm	93 lm/W	080-612051 ◪ F
	4000 K	4050 lm	99 lm/W	080-612061 ◪ F

Optical accessories

SNOOT WITH HONEYCOMB LOUVER

TYPE	Ø·H (mm)	ORDER CODE
for VARO 110	106·9	006-931130
for VARO 80	83·9	006-931120

Order options

COLOUR ◪	
traffic white RAL 9016	7
jet black RAL 9005	8

Kastner & Öhler AG Kaufhaus Tyrol, Innsbrucks Tyrol

Autriche

Architecte
DIOMA AG / WHIR3 /
K&Ö Bauabteilung

Lighting Design
VEDDER.LICHTMANAGEMENT

Photographe
Jens Pfisterer



Produits utilisés



TWIST 100 1 lamp recessed

No liability is assumed for typographical or printing errors.
© XAL GmbH · Auer-Welsbach-Gasse 36 · 8055 Graz · Austria · www.xal.com


LANCÔME
CHANEL


CLARINS
SHISEIDO
GUERLAIN






KASTNER&OHLER


BIOTHERM
CLINIQUE
CLARINS
SHISEIDO
GUERLAIN
ESTÉE LAUDER
Aēsop
CLINIQUE


KASTNER & OHLER
K&O
KASTNER & OHLER
Click & Collect


KASTNER & OHLER
Genau
was du
likest


ONLY

MUCA - Museum of Urban and Contemporary Art, Munich


Allemagne

Photographe
Dominik Münich



No liability is assumed for typographical or printing errors.
© XAL GmbH · Auer-Welsbach-Gasse 36 · 8055 Graz · Austria · www.xal.com





BIG BROTHER
IS WATCHING
YOU




BIG BROTHER
IS WATCHING
YOU




I DO NOT WANT MY
TAXES TO PAY FOR
THE NEW WORLD ODOR




FUNG


ROAD
WORK