

## MITA square 200 / 360

recessed


**EN** Square luminaire housing in die-cast aluminium; extremely slim design; recessed luminaire with trim; optional: blind cover to cover the cut-out available as an accessory; suitable for ceiling thickness of 2-25 mm; surface powder coated; high-gloss reflector with faceted design; energy-efficient LEDs with very good colour rendering

**FR** Corps de luminaire carré en aluminium moulé ; forme extrêmement élancée ; luminaire encastré avec bord continu ; en option : cache à insérer dans l'encoche intérieure disponible comme accessoire ; convient aux épaisseurs de plafond de 2-25 mm ; surface thermolaquée ; réflecteur ultra-brillant avec optique à facettes ; LED économes en énergie à restitution de couleur élevée

### Quickinfo

3000 K, 4000 K, tunable white  
 2700 - 6500 K  
 CRI  $\geq$  80, CRI  $\geq$  90 / 3 SDCM  
 (initial MacAdam)  
 UGR  $\leq$  16, UGR  $\leq$  19  
 jusqu'à 163 lm/W  
 L90 / 50000 h  
 DALI-2  
 Reflector  
 IP20

### Types



### Couleur



### Réflecteur




### Répartition de la lumière




suitable for  
 plasterboard or  
 grid ceilings




DIN EN 12464-1  
 UGR  $\leq$  19



tunable white  
 2700 - 6500 K




### MITA SQUARE 200 trim




#### REFLECTOR DALI-2

SYSTEM	COLOUR TEMP.	CRI ≥	REFLECTOR	LUM. FLUX	EFFICACY	ORDER CODE
13.8 W	3000 K	80	chrome	1950 lm	141 lm/W	0 7 4 - 8 3 1 4 5 3 <input checked="" type="checkbox"/> R
			dark chr.	1400 lm	101 lm/W	0 7 4 - 8 3 1 4 5 3 <input checked="" type="checkbox"/> B
	4000 K	90	chrome	1680 lm	122 lm/W	0 7 4 - 8 3 1 4 0 3 <input checked="" type="checkbox"/> R
			dark chr.	1200 lm	87 lm/W	0 7 4 - 8 3 1 4 0 3 <input checked="" type="checkbox"/> B
		80	chrome	2220 lm	161 lm/W	0 7 4 - 8 3 1 4 6 3 <input checked="" type="checkbox"/> R
			dark chr.	1590 lm	115 lm/W	0 7 4 - 8 3 1 4 6 3 <input checked="" type="checkbox"/> B
14.2 W	tunable w.	90	chrome	1810 lm	131 lm/W	0 7 4 - 8 3 1 4 1 3 <input checked="" type="checkbox"/> R
			dark chr.	1300 lm	94 lm/W	0 7 4 - 8 3 1 4 1 3 <input checked="" type="checkbox"/> B
		90	chrome	1670 lm	118 lm/W	0 7 4 - 8 3 1 4 D 3 <input checked="" type="checkbox"/> R
			dark chr.	1200 lm	85 lm/W	0 7 4 - 8 3 1 4 D 3 <input checked="" type="checkbox"/> B



□ 209

□ 92






### MITA SQUARE 360 trim



#### REFLECTOR DALI-2

SYSTEM	COLOUR TEMP.	CRI ≥	REFLECTOR	LUM. FLUX	EFFICACY	ORDER CODE
28.5 W	tunable w.	90	chrome	3340 lm	117 lm/W	0 7 4 - 8 3 1 6 D 3 <input checked="" type="checkbox"/> R
			dark chr.	2390 lm	84 lm/W	0 7 4 - 8 3 1 6 D 3 <input checked="" type="checkbox"/> B
29.4 W	3000 K	80	chrome	4210 lm	143 lm/W	0 7 4 - 8 3 1 6 5 3 <input checked="" type="checkbox"/> R
			dark chr.	3010 lm	102 lm/W	0 7 4 - 8 3 1 6 5 3 <input checked="" type="checkbox"/> B
	4000 K	90	chrome	3630 lm	123 lm/W	0 7 4 - 8 3 1 6 0 3 <input checked="" type="checkbox"/> R
			dark chr.	2600 lm	88 lm/W	0 7 4 - 8 3 1 6 0 3 <input checked="" type="checkbox"/> B
		80	chrome	4790 lm	163 lm/W	0 7 4 - 8 3 1 6 6 3 <input checked="" type="checkbox"/> R
			dark chr.	3430 lm	117 lm/W	0 7 4 - 8 3 1 6 6 3 <input checked="" type="checkbox"/> B
40.0 W	3000 K	90	chrome	3920 lm	133 lm/W	0 7 4 - 8 3 1 6 1 3 <input checked="" type="checkbox"/> R
			dark chr.	2800 lm	95 lm/W	0 7 4 - 8 3 1 6 1 3 <input checked="" type="checkbox"/> B
		80	chrome	5470 lm	137 lm/W	0 7 4 - 8 3 2 6 5 3 <input checked="" type="checkbox"/> R
			dark chr.	3920 lm	98 lm/W	0 7 4 - 8 3 2 6 5 3 <input checked="" type="checkbox"/> B
	4000 K	90	chrome	4720 lm	118 lm/W	0 7 4 - 8 3 2 6 0 3 <input checked="" type="checkbox"/> R
			dark chr.	3380 lm	85 lm/W	0 7 4 - 8 3 2 6 0 3 <input checked="" type="checkbox"/> B
		80	chrome	6230 lm	156 lm/W	0 7 4 - 8 3 2 6 6 3 <input checked="" type="checkbox"/> R
			dark chr.	4460 lm	112 lm/W	0 7 4 - 8 3 2 6 6 3 <input checked="" type="checkbox"/> B
		90	chrome	5100 lm	128 lm/W	0 7 4 - 8 3 2 6 1 3 <input checked="" type="checkbox"/> R
			dark chr.	3650 lm	91 lm/W	0 7 4 - 8 3 2 6 1 3 <input checked="" type="checkbox"/> B



□ 360

□ 241

### Optical accessories (optional)

#### BLIND COVER square 200

ORDER CODE

0 7 4 - 8 9 1 3 4 1 

### Order options

COLOUR	
traffic white RAL 9016	7 <input checked="" type="checkbox"/>
jet black RAL 9005	8 <input checked="" type="checkbox"/>



**BLIND COVER square 360**

**ORDER CODE**

0 7 4 - 8 9 1 3 6 1

---

**Order options**

---

<b>COLOUR</b>	<input checked="" type="checkbox"/>
traffic white RAL 9016	7
jet black RAL 9005	8