


Quickinfo

feutre PET composé d'au moins 50 % de matériau recyclé post-consumer jusqu'à la classe d'absorption A version ignifugée disponible

Types



Couleur



MINO CIRCLE acoustic


ceiling / suspended

EN Acoustic element made of high quality, self-supporting, at least 50% recycled PET felt with sound absorbing properties; round design; high quality visual and tactile surface; absorption of direct sound and sound reflected from the ceiling; this creates high acoustic performance; choice of surface mounted and pendant versions with cable suspension; toolless suspension height adjustment of the acoustic element

FR Élément acoustique en feutre PET recyclé à 50% au moins, autoportant, haute qualité, doué de propriétés insonorisantes ; forme ronde ; surface aux grandes qualités visuelles et tactiles ; absorption du bruit direct et du bruit réfléchi par le plafond ; pour de meilleures performances acoustiques ; variante au choix fixée ou suspendue avec suspension par câble ; réglage de la hauteur sans outil au niveau de l'élément acoustique





made of at least 50% post-consumer recycled PET felt



MINO CIRCLE acoustic

A	B	C	D	E
$\alpha_w = 0.65$				

	0.7	0.74
PETfelt	NRC	SAA



CEILING

COLOUR

anthracite	
black	
felt grey	
limestone	
marble grey	
white	

ORDER CODE

0 3 4 - 2 7 1 D 1 1 B
0 3 4 - 2 7 1 D 1 1 L
0 3 4 - 2 7 1 D 1 1 G
0 3 4 - 2 7 1 D 1 1 S
0 3 4 - 2 7 1 D 1 1 D
0 3 4 - 2 7 1 D 1 1 W

EQUIVALENT SOUND ABSORPTION AREA ($A_{EQ} M^2$)

Ø (mm)	125Hz	250Hz	500Hz	1000Hz	2000Hz	4000Hz
937	0.1	0.27	0.7	1.17	1.07	1
1434	0.3	0.6	1.43	2.3	2.17	2.1

SUSPENDED

COLOUR

anthracite	
black	
felt grey	
limestone	
marble grey	
white	


ORDER CODE

0 3 4 - 2 7 2 D 1 1 B
0 3 4 - 2 7 2 D 1 1 L
0 3 4 - 2 7 2 D 1 1 G
0 3 4 - 2 7 2 D 1 1 S
0 3 4 - 2 7 2 D 1 1 D
0 3 4 - 2 7 2 D 1 1 W

EQUIVALENT SOUND ABSORPTION AREA ($A_{EQ} M^2$)


Ø (mm)	125Hz	250Hz	500Hz	1000Hz	2000Hz	4000Hz
937	0.5	0.5	0.87	1.3	1.43	1.57
1434	0.97	1.2	1.83	2.67	3.07	3.3

SOUND ABSORPTION COEFFICIENTS



Order options

DIAMETER	D
937 mm	1
1434 mm	2



Order options

DIAMETER	D
937 mm	1
1434 mm	2

Office e-sy AG

Suisse

Lighting Design
Studio Z20 AG


Photographe
Philip Böni



Produits utilisés



MINO 60 CURVE
ceiling / suspended
system



MINO CIRCLE
acoustic ceiling /
suspended

