

MINO CIRCLE acoustic

ceiling / suspended

EN Acoustic element made of high quality, self-supporting, at least 50% recycled PET felt with sound absorbing properties; round design; high quality visual and tactile surface; absorption of direct sound and sound reflected from the ceiling; this creates high acoustic performance; choice of surface mounted and pendant versions with cable suspension; toolless suspension height adjustment of the acoustic element

IT Elemento acustico in feltro prodotto con PET riciclato per almeno il 50%, alta qualità, autoportante e con proprietà fonoassorbenti; forma rotonda; finitura con caratteristiche estetiche e tattili di alta qualità; assorbimento del suono diretto e del suono riflesso dal soffitto; con elevata performance acustica; a scelta tra versione applicata o sospesa con cavo a sospensione; regolazione in altezza senza attrezzi sull'elemento acustico

Quickinfo


feltro PET

PET felt (made of at least 50% post-consumer recycled material)
SAC (sound absorption class) up to C

fire resistance class: B-s1, d0, fire

resistance class: B-s2, d0



Types



Colore



made of at least 50% post-consumer recycled PET felt



MINO CIRCLE acoustic

A	B	C	D	E
$\alpha_{w} = 0.65$				
 PET felt				
0.7 NRC				
0.74 SAA				

CEILING

COLOUR	
anthracite	
black	
limestone	
marble grey	
white	

ORDER CODE	
0 3 4 - 2 7 1	D 1 1 B
0 3 4 - 2 7 1	D 1 1 L
0 3 4 - 2 7 1	D 1 1 S
0 3 4 - 2 7 1	D 1 1 D
0 3 4 - 2 7 1	D 1 1 W

Equivalent sound absorption area ($A_{eq} \text{ m}^2$)

$\varnothing$ (mm)	125Hz	250Hz	500Hz	1000Hz	2000Hz	4000Hz
937	0.1	0.27	0.7	1.17	1.07	1
1434	0.3	0.6	1.43	2.3	2.17	2.1

SUSPENDED


COLOUR	
anthracite	
black	
limestone	
marble grey	
white	

ORDER CODE	
0 3 4 - 2 7 2	D 1 1 B
0 3 4 - 2 7 2	D 1 1 L
0 3 4 - 2 7 2	D 1 1 S
0 3 4 - 2 7 2	D 1 1 D
0 3 4 - 2 7 2	D 1 1 W

Equivalent sound absorption area ($A_{eq} \text{ m}^2$)


$\varnothing$ (mm)	125Hz	250Hz	500Hz	1000Hz	2000Hz	4000Hz
937	0.5	0.5	0.87	1.3	1.43	1.57
1434	0.97	1.2	1.83	2.67	3.07	3.3

Sound absorption coefficients



Order options

DIAMETER	D
937 mm	1
1434 mm	2



Office e-sy AG

Svizzera

Lighting Design
Studio Z20 AG


Fotografo
Philip Böni




Prodotti utilizzati



MINO 60 CURVE
ceiling / suspended
system



SASSO 60 round
recessed 1 lamp



MINO CIRCLE
acoustic ceiling /
suspended

