


Quickinfo

feltro PET
 fino a classe di assorbimento
 acustico A

Types



Colore



MUSE BAFFLE acoustic


suspended

EN Acoustic element made of high quality, self-supporting, at least 50% recycled PET felt with sound absorbing properties; high quality visual and tactile surface; constructed of 2 shells to form cavities that improve acoustic performance; large sound absorbing surface; pendant fitting with cable suspension; toolless suspension height adjustment of the acoustic element; up to absorption class A

IT Elemento acustico in feltro prodotto con PET riciclato per almeno il 50%, alta qualità, autoportante e con proprietà fonoassorbenti; finitura con caratteristiche estetiche e tattili di alta qualità; struttura composta da 2 gusci in modo da formare cavità per migliorare le prestazioni acustiche; ampia superficie fonoassorbente; sospeso con cavo a sospensione; regolazione in altezza senza attrezzi sull'elemento acustico; fino a classe di assorbimento acustico A



sound
 absorption by
 PET felt from at
 least 50%
 recycled
 material



MUSE BAFFLE acoustic suspended



A	B	C	D	E
α _w = 0.45				



0.55
NRC


0.55
SAA

COLOUR

- anthracite
- bright blue
- felt grey
- indigo blue

ORDER CODE

- 0 9 1 - 1 0 1 1 1 1 B
- 0 9 1 - 1 0 1 1 1 1 P
- 0 9 1 - 1 0 1 1 1 1 G
- 0 9 1 - 1 0 1 1 1 1 E



EQUIVALENT SOUND ABSORPTION AREA (A_{EQ} M²)

125Hz	250Hz	500Hz	1000Hz	2000Hz	4000Hz
0.1	0.2	0.57	0.93	0.97	0.93

Planning Information




MUSE LIGHT

20W direct, 4000K, chrome reflector
+ MUSE BAFFLE (every 2nd)

ROOM VALUES

Room dimensions	9 × 5 × 3 m
Room volume	135 m ³
Reflection factor	0.7 0.5 0.2
Maintenance factor	0.8
Mounting height	2.23 m




CALCULATION SURFACE

Surface dimensions	8 × 4
Surface height	0.75 m
Average illuminance (E _m)	> 500 lx

GLARE EVALUATION

Table Classification X=4H | Y=8H | S=0.25H
 UGR transversal ≤ 19
 UGR axial ≤ 19
 ≥ 65° ≤ 1500 cd/m²


SOUND ABSORPTION COEFFICIENTS



Acoustic data
 calculations based on
 MUSE LIGHT:
 cavity 25cm

SHOWROOM LEONADING


Austria




SHOWROOM LEONADING

Austria

Prodotti utilizzati



JANE semi-recessed / surface / suspended



MUSE BAFFLE acoustic suspended



BETO ceiling / suspended system



L10 OFFICE MOVE IT 45



UNICO wall recessed



SPIO 20 recessed



MOVE IT 10 SUSPENSION




NOBA suspended MOVE IT 10




TILA adjustable MOVE IT 10



GIRA MOVE IT 10



MOVE IT 45 suspended indirect system




MOVE IT 45 surface / suspended system




MICROPRISMATIC UGR < 19 MOVE IT 45




MICROPRISMATIC UGR < 22 MOVE IT 45



MITA square 200 / 360 recessed



MOVE IT 10 surface system



MOVE IT 10 trimless system



JUST 45 MOVE IT 25 / 25 S / 45



JUST 55 MOVE IT 25 / 25 S / 45

